

High Value, Affordable Price

Thermal Receipt Printer
PRP-200





Budget-friendly without sacrificing performance - up to 720 meters of content per hour!



**Built-in power adapter
– no messy cables,
no tripping hazards!**



**Auto Cutter & Paper End Detection:
Reduces paper waste
& ensures smooth operation**



**USB connectivity
Optional LAN Port
for seamless operation**

Specifications

Print Method	Direct Thermal
Print Command	ESC/POS Commands
Print Resolution	203 dpi
Print Speed	200mm/s
Print Width	72mm
Overheat Protection	Thermistor
Head Position Detection	Microswitch
Media Detection	Reflective Sensor
Paper Type	Thermal Roll Paper
Paper Width	79.5±0.5mm
Paper Roll Outer Diameter	Max. 82mm
Paper Thickness	0.06-0.08mm
Paper Handling	Partial-Cut
Paper Output	Top Paper Output
Barcode /Character Set	
Graphics	Support Different Density Bitmap Printing
Bar Code	UPC-A, UPC-E, JAN13(EAN13), JAN8(EAN8), ITF, CODABAR, CODE39, CODE93, CODE128, QRCode
Character Set	Standard International Characters, Optional Simplified or Traditional Chinese or Japanese font.



Specifications

Interface	
Standard:	USB+Ethernet
Optional:	USB USB+Ethernet+Cash Drawer USB+Bluetooth USB+WiFi
Other	
Power Input	DC 24V 1.25A
Working Environment	5~40°C, 20%~90% non-condensing
Storage Environment	-25~55°C, 20%~93% non-condensing
Weight	0.84kg
Printer Dimension	130.2×167×131.5mm
Packing Dimension	180×150×152mm
Sensor Position	Middle
Print Head Reliability	150km
Cutter Reliability	1.5 million times



info@fametech.com.tw



**12F., No. 237, Sec. 1, Datong Rd.,
Xizhi Dist., New Taipei City 221,
Taiwan**



886-2-8692-2060

