

TYSSO®
www.fametech-pos.com

Beyond
Mere
POS

ISO 9001:2015 CE FC

TYSSO® FAMETECH INC.

Headquarter: 12F., No. 237, Sec. 1, Datong Rd.,
Xizhi Dist., New Taipei City 221006, Taiwan
TEL: 886-2-86922060 www.fametech-pos.com
FAX: 886-2-86922061 info@fametech.com.tw



Beyond
Mere
POS

FAMETECH INC.
Your Reliable POS Solution Provider

CONTENT

Your Reliable POS Solution Provider



Retail & Hospitality



Applications

Innovation For
Every Industry's Needs.



Fashion & Apparel



Warehousing & Logistics



Healthcare



Food & Beverage



POS SYSTEM

VT-9X16N / VT-9X12N	03
TP-9616N / TP-9816P	05
XT-9X16 / XT-1X15	07
TP-2615N / TP-2815P	09
TP-1615N / TP-1815P	11
AP-5615N / AP-5815P	13



KIOSK SERIES

KM-1X16	15
KS-1627N Wall Mount	17
KS-1X27	19
KB-1X21	21
KD-2X16 / KD-2X21	23



PANEL PC SERIES

PPC-1X16	25
PPC-2X21	25



SMART RETAIL

10.1-inch LCD / EPD	27
AI Multi-Item Recognition	29



BOX PC

BX Series	31
-----------	----



LCD DISPLAY PPD SERIES

PPD-1008	33
PPD-1110	33
PPD-1111	33



RECEIPT PRINTER

PRP-550	35
PRP-250CL	37
PRP-300L	38



BARCODE SCANNER

GS-6010	39
GS-6500	39
TD-6010	40
CS-1800	40

POS PERIPHERALS

Durable Cash Drawer	41
Customer Display	41
Magstripe Card Reader	42
Programmable Keyboard	42

VT-9X16N / VT-9X12N

1st GENERATION VENTURE POS
HIGH QUALITY SILVER-WHITE DESIGN



VT-9X16N



VT-9X12N

11.6-Inch Compact and Versatile Display
A space-saving screen option that supports flexible POS usage in various business environments.



Optional 10.1" Second Display
Attach it to the POS terminal or place it separately on the countertop.

APPLICATION | Retail & Hospitality

High Durability

PCAP Touch Panel

Multiple Connectivity

Intel® Eembedded Processor

High Quality Speaker

Elegant Tech for Every Sale

FEATURES

- Features an Intel® Alder Lake series processor for reliable POS performance.
- Available in stylish silver-white and black, with 11.6" (4:3) and 15.6" (16:9) display size options to suit different installation needs.
- The optional 10.1" second display is available for both display sizes, with flexible placement either attached to the main POS terminal or positioned separately on the countertop.
- Smooth contours and polished surfaces create a clean, modern appearance that fits naturally into retail, hospitality, and customer-facing environments.
- Full I/O ports support essential POS peripherals, offering greater flexibility for device integration and expanded system functionality.



We focus on every detail



Powerful Performance and Full I/O Connectivity



Ultra-thin Screen: Less than one centimeter thick for a sleek design

TP-9616N / TP-9816P

15.6-INCH ULTRA-THIN and
STYLISH POS SYSTEM



White & Blue Version

Perfectly Streamlined
Design, Suitable for
Your Stores.



10.1-INCH 2nd Customer Display
Various Optional Accessories



Matte Body with High
Quality Metal Power
Switch Button



APPLICATION | F Fashion Industry



Black Version

Streamlined and Slim Design

FEATURES

- Powered by Intel® Alder Lake processors, including options up to Core™ i5 with 12M cache and 4.4 GHz speed.
- Supports up to 64GB DDR4 system memory for demanding applications.
- Equipped with an easy-access M.2 SSD for fast storage upgrades.
- Features a 15.6-inch TFT LCD with full HD resolution and capacitive multi-touch technology.
- Offers extensive I/O options, including USB 3.2, HDMI, and RJ45 for versatile connectivity.
- Includes IP65-rated front bezel for protection against dust and water.
- Adjustable tilt range of 0° to 90° for ergonomic convenience.
- Compatible with Windows 10/11 and Linux operating systems.

Speaker

Touch
Screen

Cash
Drawer

Wi-Fi
Supported

XT-9X16 / XT-1X15

15 & 15.6 INCHES MOUNTABLE POS
COMPACT MODULAR POS TERMINAL



APPLICATION | Healthcare

According to user needs,
a second screen can be added.



Can be equipped with a 10.1 inches
2nd customer display to enhance
consumer experience

Diverse Accessories Options



Angle Adjustable
The screen angle can be
adjusted from 0° to 90°

Modular Peripherals Integrated on Panel Sides

Easy-to-service access on panel back cover for effortless
RAM module replacement



Fanless Cooling System with Slim Design

FEATURES

- Touch Panels Available in 15-inch (XT-1X15) and 15.6-inch (XT-9X16) Sizes with PCAP Technology.
- CPU Options Include Intel® Celeron® J6412, Intel® Core™ i5-7267U or Core i3-1154G4 (TigerLake-U) Processor.
- Ultra-Narrow Bezel, Slim and Durable Aluminum Die-Casting Housing.
- Fanless Cooling System for Silent and Efficient Operation.
- Water Spill Proof Front Bezel for Added Durability and Protection.
- Modular Peripherals Including WiFi Installed on Either Side of The Screen for Versatility.
- Easy-to-service Access for Effortless RAM Module Replacement.
- VESA Mount Installation with Seamless Integration.

Speaker

Touch Screen

Cash Drawer

Credit Card

Wi-Fi Supported

TP-2615N / TP-2815P


15-INCH FANLESS INTEL
HIGH PERFORMERCE POS SYSTEM




Black and White Color Options

Thin and light 10.1-inch 2nd customer display,
the best choice for both quality and practicality
The angle of the second display can also be adjusted as needed

15" TFT LCD front screen,
waterproof and dustproof,
providing the best user
experience.



Back cover texture design,
details are what we care about



Patented Seamless
Housing Design



APPLICATION | F Food & Beverage



Adjustable Touch Screen Angle

Where Technology Meets Culinary Excellence

FEATURES

- Equipped with the reliable Intel® N97 (TP-2615N) and Intel® Core™ i3-1215U (TP-2815P) processors for smooth and efficient performance.
- Supports high-speed DDR4 memory: up to 16GB on TP-2615N and up to 64GB on TP-2815P.
- Offers ultra-fast storage with M.2 NVMe SSD support-PCIe Gen 3.0 (TP-2615N) and PCIe Gen 4.0 (TP-2815P).
- Features a true-flat projected capacitive multi-touch panel with IP65-rated front bezel for durability and easy cleaning.
- Provides rich connectivity with multiple USB ports including USB Type-C with power delivery and display output.
- Includes comprehensive I/O options: HDMI, VGA, dual LAN, and multiple COM ports with BIOS-configurable power.
- Built-in TPM 2.0 module for enhanced security and compatibility with Windows 11.
- Supports major operating systems including Windows 10, Windows 11, and Linux for maximum flexibility.

Fanless
Design

Optional
2nd Display

Back Cover
Texture Design

Versatile
Connectivities

TP-1615N / TP-1815P

15-INCH COMPACT POS WITH
FOLDABLE STAND



Foldable Base Version



Standard Base Version



 Fanless Design

 Optional Foldable Base

 Flexible Memory & Storage

 Customizable Accessories

 Software Integration Flexibility

 APPLICATION |  Warehousing & Logistics

Foldable Stand

Side I/O Ports for extra peripheral connection



Standard Base

The stable base is steady during use and can be adapted to various occasions.



Slim & Durable Aluminum Die-Casting Housing



Versatile Display Options with Angle Adjustable & Foldable Stand, it can save valuable store counter space and shipping costs.

FEATURES

- 15" true-flat touchscreen with precise capacitive or resistive input.
- Powered by Intel® N97 or Core™ i3/i5/i7 processors for high-speed operations.
- Expandable memory up to 64GB and flexible M.2 SSD/2.5" SATA storage options.
- Comprehensive connectivity with USB, COM, HDMI, and Gigabit LAN ports.
- Supports optional second displays, VFDs, MSR, RFID, Wi-Fi, and LTE modules.
- Compatible with Windows 10/11 and Linux for versatile software integration.

AP-5615N / AP-5815P

INTEGRATION WITH PRINTER



APPLICATION | F Food & Beverage

**Stable body,
more reliable materials,
longer service life**



**Paired with a thermal printer,
the functionality is more
powerful and suitable for
various fields.**



Angle Adjustable
The screen angle can be adjusted
as needed to suit user preferences.

Engineered for Excellence, Ready for Any Challenge.

FEATURES

- Equipped with Intel® Alder Lake processors for exceptional performance and energy efficiency.
- Supports up to 64GB DDR4 memory and flexible storage options with M.2 SSD and removable 2.5" SATA drives.
- Features a 15-inch True-Flat TFT LCD with multi-touch functionality for seamless operation.
- Provides rich connectivity options, including USB 3.2 Type-C, HDMI, and multiple COM ports.
- Integrates a high-speed thermal printer with auto cutter for efficient receipt handling.
- Designed with an IP65-rated front panel for durability and resistance to dust and water.
- Compatible with Windows 10/11 and Linux, ensuring versatile system integration.
- Offers optional accessories like a second display, barcode scanner, and Wi-Fi module for customization.
- Includes a built-in high-speed thermal printer with auto cutter, providing integrated receipt printing capabilities.



KM-1X16

COUNTERTOP SELF-SERVICE KIOSK

TYSSO®



wifi



APPLICATION



Restaurant



The easy-access thermal printer compartment simplifies paper roll replacement and helps maintain smooth checkout service during peak hours.



Tailored for Retail Success

FEATURES

- Powered by Intel® Alder Lake N97 or N95 processors, the KM-1x16 Series delivers reliable performance for smooth checkout operations and everyday retail tasks.
- The 15.6-inch Full HD true-flat PCAP touchscreen provides a responsive and intuitive interface for order entry, payment processing, and customer service.
- As a countertop self-service kiosk, this model features a smaller footprint than previous models, helping businesses make better use of limited counter space.
- The one-piece exterior design includes a dedicated lower compartment for the thermal printer, making paper roll replacement quicker and more convenient for users.



Printer
Compartment



Countertop
Design



Versatile
Connectivity



Built-in
Scanner



The matte silver finish creates a timeless, refined look that remains visually appealing from every angle.



The built-in mini QR code scanner reads barcodes from mobile phone screens, making self-service checkout, coupon redemption, and mobile payment processes more efficient.



An optional payment terminal bracket is available to support convenient credit card and mobile payment applications.

KS-1627N

WALL MOUNT VERSION

MULTI-FUNCTIONAL SELF-SERVICE KIOSK



Supports Wall-Mount Installation



Built-In Thermal Printer



Camera Lens on the Top of the Kiosk



Supports Barcode Scanner and Tap-to-Pay Machine



TYSSO

APPLICATION | Hotel Industry

First Impressions Matter-Give Yours a High-Tech Upgrade with Self-Service Check-In

FEATURES

- 27-inch VA LED panel with 1080x1920 resolution provides sharp and detailed display performance.
- Supports wall-mount installation, making it versatile for various spatial needs.
- Powered by an Intel® N97 processor with a maximum frequency of 3.6 GHz for robust performance.
- Equipped with PCAP touch technology for precise and smooth multi-touch operations.
- Built-in dual 5W speakers deliver clear and rich audio output.
- Offers diverse I/O interfaces, including HDMI, VGA, USB, and COM ports, to connect various peripherals.
- Supports Wi-Fi and optional 4G LTE connectivity for reliable network access.
- Features a durable design with optional wall-mount bracket for secure and efficient installation.

Wall-Mount Installation

Contactless Payment

Built-in Camera

Thermal Printer

KS-1X27

27-INCH SELF-SERVICE KIOSK



APPLICATION | A Airport Transportation

Skip the Lines, Catch Your Flight -Effortless Check-In Starts Here

FEATURES

- 21.5-inch & 27-inch PCAP Touch Panels Available
- Modular Design with Embedded Powerful Box PC (BX Series)
- Providing Flexibility for Future Components and Upgrades
- Payment Device Integration Based on Customer Needs
- Smart Cable Management System for Easy Maintenance
- Flexible Customization from Logo, Peripheral to Accessory
- Offering customers more control, convenience, and a speedier checkout option.
- Fits any commercial space with stand, wheels or mountable bracket based on your business needs.



Device Integration Based On
Customer Needs

Wall Mount
Installation

Variety of
Peripherals

Contactless
Payment

Customized
Color & Logo

KB-1X21

ENHANCING EVERY BITE WITH
SMARTER TECH



Compatible with a range of front panel accessories, allowing flexible configuration based on usage requirements.



Enables contactless payment, making transactions more convenient for users.



Crafted with a high-quality aluminum frame-understated yet exceptional.



Built-in camera at the top for full functionality.



APPLICATION | Hospitality Industry



From Menu to Mobile Pay -One Screen Does It All

FEATURES

- 21.5" Full HD true-flat touchscreen delivers a smooth and intuitive ordering experience.
- Equipped with a range of processors-ARM RK3568, Intel® N97, and Intel® Core™ i3/i5/i7-to accommodate diverse business demands.
- Built-in dual 5W speakers provide clear audio feedback for customer interactions.
- Multiple USB, COM, and HDMI ports ensure easy integration with POS peripherals.
- Wi-Fi and optional 4G LTE keep your system connected for real-time operations.
- Modular design fits perfectly into self-order kiosks or mobile payment stations.
- An optional 500-nit high brightness LCD panel is available for enhanced visibility in semi-outdoor environments or brightly lit areas.

Contactless Payment

Dual Speakers

Built-in Camera

Bright LCD Option

KD-2X16 / KD-2X21

DESIGNED FOR FLEXIBLE
SELF-SERVICE DEPLOYMENT

15.6-inch or
21-inch Panel PC

Wi-Fi



The upper section accommodates a Wi-Fi device and optional RFID reader for flexible wireless connectivity and expanded self-service applications.

Thermal Printer



The removable lower printer housing provides easy access to the thermal printer, making paper roll replacement quicker and more convenient.

Desktop Standing



APPLICATION | Retail Industry

Smart Structure, Easy Access, Reliable Self-Service Operation



Printer
Compartment



Flexible
Connectivity



Wi-Fi &
RFID Options



Modular Design

FEATURES

- Available with Android and Windows operating system options, the KD Series supports Intel® N97, Intel® Core™ i3 / i5 processor configurations to meet different performance requirements.
- The KD Series offers 15.6-inch and 21.5-inch touch display options, allowing businesses to select the ideal screen size while maintaining a unified system design.
- With both desktop and floor stand configurations, the system can be flexibly deployed across retail, hospitality, and self-service environments.
- The detachable touch display and removable metal printer housing simplify installation, maintenance, and service access for daily operation.
- The integrated cable management design and bottom printer compartment keep wiring concealed while making thermal paper replacement quick and convenient.



Floor Standing



Step 1

Align the Panel PC with the internal metal mounting bracket.



Step 2

Slide the Panel PC smoothly into the metal housing.



Step 3

Once fully inserted, the Panel PC is securely held in place, providing stable installation and easy access for maintenance.

The upper section accommodates a Wi-Fi device and optional RFID reader for flexible wireless connectivity and expanded self-service applications.

PPC SERIES

PPC-1X16 / PPC-2X21

ALL-IN-ONE PANEL PC



APPLICATION | Retail Industry

all in one
PANEL PC



VESA-Compatible Design for Easier Installation



Brushed Metal Display Bezel



Built-in High-Quality Speaker on the Side



75 x 75 / 100 x 100 (mm) VESA Standard



Fitting into Different Business Environments



15", 15.6", 21.5" Sizes Available



Versatile I/O Interfaces (HDMI, VGA, DC Power Jack, USB, Audio Line-out, MIC-in Ports, etc)

Flexible Panel PC Options Tailored to Your Specific Needs

FEATURES

- Sturdy Panel PCs to Ensure Reliable and Uninterrupted Operation
- Intel® Core Processors with PCAP 10-Point Multi-Touch Screen
- Customizable Sizes to Meet Different Situational Needs
- Fanless and Ventless Solution to Keep Airborne Particulates out of The Internal Casing
- Offering Various Connectivity, Automation and Mounting Options
- VESA-Compatible, 75 x 75 and 100 x 100 (mm)
- IP65-Rated Front Panel for Dust and Water Resistance

 High Durability

 Various Sizes Available

 Support HDMI port

 Dust & Water Proof

 VESA Wall Mount

10.1-inch LCD

REAL TIME PRICING, REAL WORLD IMPACT.



APPLICATION | Supermarket & Grocery

Flexibly displays pricing information or dynamic video content to suit different applications and occasions.

Supports side-by-side installation of up to five LCDs, providing a flexible digital signage solution for promotional campaigns and product presentations.



FEATURES

- Features a 10.1 inch full color HD display with an 800 × 1280 resolution for clear presentation of product information, pricing, images, and promotional content.
- Available in both single sided and dual sided configurations to support different shelf layouts and viewing requirements.
- Enables real time updates of prices, product details, and promotional messages, reducing the need for manual label replacement.
- Supports dual band Wi-Fi and Bluetooth connectivity for convenient content management and stable data transmission.
- Built with durable ABS and PC materials and designed to operate reliably in temperatures ranging from 10°C to 50°C.



Smart EPD labels for every shelf, from 1.54" to 7.5"



Electronic Paper Display (EPD)

ONE SYSTEM. EVERY LABEL. ALWAYS UPDATED.

FEATURES

- Available in a wide range of display sizes from 1.54 to 7.5 inches to meet diverse retail labeling and product information needs.
- Features a full graphic electronic paper display with black, white, red, and yellow color options for clear and eye catching content presentation.
- Supports 2.4 GHz wireless communication for convenient and efficient updates of pricing, promotions, and product information.
- Delivers up to seven years of battery life with replaceable batteries and low power operation, helping reduce maintenance requirements.
- Designed with IP65 protection, a wide 175° viewing angle, multilingual support, and an optional low temperature model for demanding retail environments.
- Works seamlessly with a dedicated base station to enable centralized management, reliable data transmission, and real time updates across multiple labels.



Base Station

The Base Station supports ceiling mounting for flexible installation, providing stable 2.4 GHz wireless coverage for over 4,000 ESL devices within a 15-meter radius.

AI MULTI-ITEM RECOGNITION

ALL IN SIGHT. PRICED JUST RIGHT.



AI Multi-Item Recognition with KM-1x16 Kiosk



Scan the QR code to discover how our AI-powered recognition system works.



Intelligent recognition technology meets a modern design, making it your smartest and most capable assistant.



Aluminum base with a premium brushed finish.



Supports an optional second display for greater versatility.



APPLICATION | Bakery & Donut Shop

Just Place The Tray. AI Handles The Rest.

FEATURES

- Powered by a 3TOPS NPU, the system enables fast AI recognition for smoother retail checkout workflows.
- With a 2592 x 1944 image sensor and 30fps image transfer rate, it captures clear tray images for accurate product identification.
- The 4G+IR lens with a 50° field of view supports focused item detection for bakery, donut shop, and retail counter applications.
- Recognized items can be displayed on screen with the total amount, helping retailers complete checkout faster and more efficiently.
- Powered by a trainable YOLO-based deep-learning algorithm, the system rapidly identifies multiple products in a single image, adapts to evolving product catalogs through software updates, and integrates with existing POS and ERP systems to reduce manual entry and accelerate checkout.

Powerful AI Chip

Smart Camera

Instant Recognition

Fast Total Calculation

BX SERIES

BX-811 / BX-861 / BX-881

COMPACT PERFORMANCE BOX PC



APPLICATION | POS System | Digital Signage

Rich I/O Ports (HDMI, VGA, LAN, USB, COM, Audio, Cash Drawer, and Wi-Fi/ BT4.0)



+Display



+VESA



+Bracket



Small Size but Powerful



One-Stop-Shop for POS & Auto-ID Solution Provider

FEATURES

- Offers multiple processor options: RK3568, Intel® N97, or Intel® Core™ i3/i5/i7.
- Fanless and Compact Design Suitable for Limited Workspace.
- Aluminum Extrusion Housing with Excellent Heat Dissipation.
- HDMI/ VGA Ports Support Synchronous/ Asynchronous Display.
- Rich I/O Interfaces for Easy Connection to Multiple Devices.
- Low Power Consumption Ensures 24/7 Uninterrupted Work.
- Suitable for POS, Kiosk, Digital Signage, and System Integration.
- Versatile Usability with VESA Mount and Kiosk Bracket Options.
- Versatile Box PC for POS, Automation, and Integration Solutions.

Fanless Design

Energy Efficiency

Heat Dissipation

Multiple Display

Mount Brackets

PPD SERIES

PPD-1008 / PPD-1110

PPD-1111

COMPACT LCD DISPLAY



8" / 9.7" / 10.1" LCD DISPLAY SPECIFICATION

Model Number	PPD-1008	PPD-1110	PPD-1111
Display Type	8" TFT LCD	9.7" TFT LCD	10.1" TFT LCD
Aspect Ratio	4:3	4:3	16:10
Resolution	800 x 600	1024 x 768	1280 x 800
Brightness (Typical)	250nits	350nits	400nits
Contrast Ratio (Typical)	800:1	500:1	800:1
Viewing Angle (Typical)	Horizontal 140°; Vertical 130°	Horizontal 140°; Vertical 130°	Horizontal 178°; Vertical 178°

Adjustable Angle up to 90 Degrees and Rich I/O Ports

Offers multiple interfaces including VGA, DC wall mount power adapter, USB, and audio line-in ports



VESA Wall Mount for Portrait/ Landscape Installation



APPLICATION | **R** Retail Industry | **H** Hospitality Industry

Robust & Compact Touch Display Monitor

FEATURES

- 8 Inches, 9.7 Inches and 10.1 Inches TFT LCD with LED Backlight
- 10-Point Touch Technology Coupled with Fast Response Time
- Wide Viewing Angles Ensuring Sharpness of Picture
- Optional AR (Anti-Reflective), AG (Anti-Glare), AF (Anti-Fingerprint) and AS (Anti-Smudge) Coating Solutions
- Offering Versatile I/O Connectivity and Compatible for Laptop, PC or POS Terminal as 2nd Display
- High Durability & Robustness via Metal Enclosure Providing Optimal Thermal Dissipation
- Sustainable Packaging Design by Using Corrugated Fiberboard Boxes

 Vesa Wall Mount

 Angle Adjustable

 Versatil I/O Connectivity

PRP-550

COMPACT THERMAL RECEIPT PRINTER



APPLICATION | F Food & Beverage

Easy Installation & Maintenance

Compatible with ESC/POS print commands
Supporting various drivers and multiple language fonts selectable



Paper Cutting Versatility

Flexible Paper Exit Options:
Front or Top Exit
Equipped with Seiko Printer Mechanism Module



The Ultimate Compact Size Fits All



+ Tool-Free Wireless Module

Rich I/O Interfaces (Serial, Ethernet, USB & RJ-11)
Connected through Built-in Bluetooth (BT) Module & WiFi supporting STA/AP/AP+STA



Thermal Receipt Printer 80mm Cube Receipt Printer

FEATURES

- Supports multiple fonts, including ANK and Asian characters, and various barcode formats.
- Utilizes thermal line printing technology for fast and efficient printing.
- Prints at a speed of 250mm per second with a resolution of 203 dpi.
- Equipped with a partial-cut and full-cut auto cutter for enhanced convenience.
- Compatible with ESC/POS command sets for seamless integration with POS systems.
- Features multiple connectivity options, including Serial, USB, Ethernet, and optional Bluetooth/WiFi.
- Built-in overheat protection ensures reliable and safe operation.
- Supports paper widths of 79.5mm ±0.5mm and thicknesses from 0.06mm to 0.08mm.
- Designed to operate in a wide temperature range from 0°C to 40°C with humidity tolerance up to 80%.
- Certified for safety and compliance with FCC, CE, LVD, and RoHS standards.

Speaker

Abrasion Resistance

High Durability

High Speed
250 mm/sec

Wi-Fi & Bluetooth Supporting


PRP-250CL

GLOSSY THERMAL RECEIPT PRINTER



FEATURES

- Compact and Stylish Design
- Print Speed: 250 mm/sec
- Paper Auto-cutter
- Multi-I/O Interface: Serial, Ethernet (RJ-45), USB (UTP)
- Cash Drawer Connection Port (RJ-11)
- Various Drivers Support
- Compatible with ESC/POS Print Commands Set
- User-friendly, Drop-and-print Paper Installation
- Multiple Language Fonts Selectable
- DHCP Client Mode Support



High Speed
250 mm/sec



Abrasion
Resistance

User-Friendly & Compact Design



Easy Installation and Maintenance

Features drop-and-print setup, auto-feed, auto-cut, and easy jam removal.




PRP-300L

HIGH-SPEED THERMAL RECEIPT PRINTER



FEATURES

- Multi-Language Font Support for Global Use
- Support QR Code Printing
- Designed for Easy Maintenance and Jam-Free Operation
- Compatible with ESC/POS Print Command Sets
- Multi I/O Interface (Serial + Ethernet + USB, RJ-11)
- Print Speed: 250 mm/sec
- White/ Black Color Variations



High Speed
250 mm/sec



Abrasion
Resistance

Sturdy Yet Elegant

Glossy appearance with slick curvy body design in the thermal receipt printer



Jam-free Printing

Our thermal receipt printer is easy-maintenance & anti-jam mechanism



GS-6010 / GS-6500

BARCODE SCANNERS

GLOSSY PIANO FINISH POS TERMINAL



APPLICATION | H Healthcare | I Inventory Management

FEATURES

- High-Sensitivity Laser Scan Engine
- 32-bit Decoding Technology
- Scan Speed: 200 scan/sec or 100 scan/sec
- Depth of Field: 3 ~ 55 mm (max)
- Ergonomic Design and Durable Housing
- Interface: RS-232, USB, Keyboard Wedge
- Exchangeable Cable (interface)



TD-6010

HANDHELD 1D/ 2D IMAGER

FEATURES

- High-Sensitivity CMOS Imager Sensor
- 1D & 2D Barcode Symbolologies
- Interface: USB-Keyboard (HID), USB Virtual COM (Win 10), RS-232
- Support Both Trigger and Constant Active Signal Mode for Various User Scenarios
- Simple Operation with Programmable Configuration
- Ensures Comfort and Ease of Use for Extended Periods of Time



CS-1800

SLIM CCD SCANNER

FEATURES

- Ergonomic Design & Durable Housing
- Easy to Operate for 24/7 Operation
- 1500 Pixel Linear CCD
- Scan Speed: 360 scan/sec
- Depth of Field: 0 ~ 50 mm (max.)
- Width of Field: 65 mm (up to 80 mm)
- Interface: RS-232, Keyboard Wedge, USB

POS PERIPHERALS

LET US HELP YOU CHOOSE THE BEST PRODUCTS FOR YOUR NEEDS

Durable Cash Drawer PCD Series

FEATURES

- Adjustable bill trays and coin slots
- Durable Steel Structure
- Position key lock
- Slip-slot for checks and bills



Customer Display VFD Series

FEATURES

- High-Brightness VFD Panel
- Graphic Liquid Crystal Display available
- Dot Matrix Character
- Number of Columns: 20 x 2
- Asian Fonts model available



Magstripe Card Reader MSR Series

FEATURES

- 300,000 passes head (1,000,000 passes head available)
- Comply with ISO and JIS standards
- Interface: PS/2, RS-232 or USB available
- Multiple Tracks combinations: 1, 2, 3 or 1-2, 2-3, or 1-2-3, JIS-II compatible
- User-Friendly Setup Utility
- Compact-Sized Design



Programmable Keyboard PKB Series

FEATURES

- 44/78/111 Membrane key switches
- 10 million operating life cycles
- Standard Key Code or ASCII Code configuration
- Multi-Layer Programming key function via software
- Optional Integrated Magnetic Stripe Card Reader (MSR)
- 6 positions function key lock available

